



# भारत का राजपत्र

## The Gazette of India

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं० 38] नई दिल्ली, शनिवार, सितम्बर 23, 1995 (आश्विन 1, 1917)

No. 38] NEW DELHI, SATURDAY, SEPTEMBER 23, 1995 (ASVINA 1, 1917)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके  
[Separate paging is given to this Part in order that it may be filed as a separate compilation]

### भाग III—खण्ड 2 [PART III—SECTION 2]

पेटेंट कार्यालय द्वारा जारी की गई पेटेंटों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस  
[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

#### THE PATENT OFFICE PATENTS AND DESIGNS

Calcutta, the 23rd September 1995

#### ADDRESSES AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial Jurisdiction on a zonal basis as shown below :—

Patent Office Branch, Todi  
Estates, IIIrd Floor, Lower  
Parel (West), Bombay-400 013.

The States of Gujarat, Maharashtra and Madhya Pradesh and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".

Patent Office Branch,  
Unit No. 401 to 405, IIIrd Floor,  
Municipal Market Building,  
Saraswati Marg, Karol Bagh,  
New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFIC".

1—257 GI/95

Patent Office Branch,  
61, Wallajah Road,  
Madras-600 002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu, and the Union Territories of Pondicherry, Laccadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIS".

Patent Office (Head Office),  
"NIZAM PALACE", 2nd M. S. O.  
Building, 5th, 6th and 7th  
Floor, 234/4, Acharya Jagadish  
Bose Road, Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS".

All applications notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

**Fees :—**The fees may either be paid in cash or may be sent by Money Order payable to the Controller at the appropriate Offices or by bank draft or cheque payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

पेटेंट कार्यालय

एकस्व तथा अभिकल्प

कलकत्ता, दिनांक 23 मिनम्बर, 1995

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ते में अवधित है तथा बम्बई, दिल्ली एवं मद्रास में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जोंन के आधार पर निम्न रूप से प्रदर्शित हैं :—

पेटेंट कार्यालय शाखा, टोडी इस्टेट,  
वीसरा तल, लोअर परेल (पश्चिम),  
बम्बई-400013 ।

गुजरात, महाराष्ट्र तथा मध्य प्रदेश राज्य  
क्षेत्र एवं संघ शासित क्षेत्र गोआ, दमन तथा  
दीव एवं अंदरा ओर नगर हवेली ।

नगर पता—“पेटोफिस”

पेटेंट कार्यालय शाखा,  
एकत सं 401 से 405, तीसरा तल,  
नगरपालिका बाजार भवन,  
सरस्वती मार्ग, करोल बाग,  
नई दिल्ली-110005 ।

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कश्मीर,  
पंजाब, राजस्थान तथा उत्तर प्रदेश राज्य क्षेत्रों  
एवं संघ शासित क्षेत्र चंडीगढ़ तथा दिल्ली ।

नगर पता—“पेटेंटोफिक”

पेटेंट कार्यालय शाखा,  
61, वालाजह रोड,  
मद्रास-600002 ।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु राज्य  
क्षेत्र एवं संघ शासित क्षेत्र एण्डिमोरी, नक्षद्वीप,  
मिनिकाय तथा एमिनिदिवि द्वीप ।

नगर पता—“पेटोफिस”

पेटेंट कार्यालय (प्रधान कार्यालय),  
रिजाम पैसेस, द्वितीय बहत्तीय कार्यालय  
भवन 5, 6 तथा 7वां तल,  
234/4, आचार्य जगदीश बोस रोड,  
कलकत्ता-700020 ।

भारत का अवशेष क्षेत्र ।

नगर पता—“पेटेंट्स”

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में अपेक्षित सभी आवश्यक-पत्र, सन्ताना, विवरण या अन्य प्रलेख पेटेंट कार्यालय के केवल उपयुक्त कार्यालय में ही प्राप्त किए जाएंगे ।

टिप्पणी :—इन्कों की अदागरी या तो नकद की जाएगी अथवा उपयुक्त कार्यालय में नियंत्रक को भुगतान योग्य धनादेश अथवा बैंक आदेश या जहाँ उपयुक्त कार्यालय अवस्थित है; उक्त स्थान की अनुमति के तहत से नियंत्रक को भुगतान योग्य बैंक ड्राफ्ट अपना चेत द्वारा की जा सकती है ।

### CORRIGENDUM

In the Gazette of India, Part—III, Section—2, dated the 17th June, 1995;

(a) In page—556, Column—2 delete No. 12/Del/WTO/95 for entry regarding application No. 272/Del/95.

(b) In page—558, Column—1 delete No. 13/Del/WTO/95 for entry regarding application No. 335/Del/95.

In the Gazette of India Part—III, Section—2, dated 29-10-1991, Page No. 987, Column—1, under the heading “cessation of Patents”.

Delete Patent No. 157166.

APPLICATION FOR PATENT FILED AT THE HEAD OFFICE 234/4 ACHARYA JAGADISH BOSE ROAD, CALCUTTA-20.

The dates shown in the crecent bracket are the date claimed under section 135, of the Patent Act, 1970.

10th July 1995

778/Cal/95 Hulsbeck & Furst GmbH & Co. KG. Interlocking mechanism with locking cylinder for locking function applicable especially for motor vehicles.

779 Cal/95 The Good Life Company & Friends Pty Ltd. Starter Culture receptacle and methods using the same. (Convention Nos. PM7010 & PM9703; on 22-7-94 & 28-11-94; in Australia).

780 Cal/95 Degussa Aktiengesellschaft. A process for recovering 2-Hydroxy-4-Methylthio Butyric Acid (MHA), MHA and its Use. (Convention No. P4424043.0; on 11-7-94; in Germany).

781 Cal/95. Degussa Aktiengesellschaft. A process for preparing ammonium 2-Hydroxy-4-(Methylthio)-Butyrate and mixtures in Liiquid form containing this and their use. (Convention No. P 442043.0; filed on 11-7-94; in Germany).

782 Cal/95. Janssen Pharmaceutica N.V. Aqueous Risperidone Formulations. (Convention No. 272.462; filed on 11-7-94 in U.S.A.).

783 Cal/95. Hulsbeck & Furst GmbH & Co. KG. Locking mechanism with effective locking functions applicable especially for motor vehicles.

784 Cal/95. Hulsbeck & Furst GmbH & Co. Interlocking mechanism with a locking cylinder used at the same time as pressure handle for operating locking components.

785 Cal 95. Bosch-Siemens Hausgeraete GmbH. Sheet Element preferably of a household gadget. (Convention No. P4430065.4; filed on 24-8-94 in Germany).

- 786/Cal/95. Patent-Treuhand-Gesellschaft Fur Elektrische Gluchlampen MBH. Halogen Lamp capped without cement. (Convention No. P4428357.1; filed on 10-8-94; in Germany).
- 787/Cal/95. Coronet-Werke GmbH. Apparatus for the detachable fastening of cleaning implements. (Convention No. P4424428.2; filed on 12-7-94; in Germany).
- 788/Cal/95. Siemens Aktiengesellschaft. Method and device for Diagnosing and predicting the Operational performance of a Turbine Plant. (Convention No. P4424743.5; filed on 13-7-94; in Germany).

APPLICATION FOR PATENT FILED AT PATENT OFFICE BRANCH MUNICIPAL MARKET BUILDING, THIRD FLOOR, KAROL BAGH, NEW DELHI-110 005.

1st May, 1995.

- 796/Del/95. Sait Mining, France. "Multiphase Omnidirectional Electrical Connector".
- 797/Del/95. Motorola, Inc., U.S.A., "Method for distributed voice conferencing in a fast packet network".
- 798/Del/95. Wilkinson Sword GMBH, Germany, "Razor Head" (Convention date 6th May, 1994)—Germany.
- 799/Del/95. Gould Electronics Inc., U.S.A., "Adhesive compositions and copper foils and copper clad laminates using same".
- 800/Del/95. The Procter & Gamble Company, U.S.A., "Stable, concentrated liquid laundry detergent composition containing alkyl polyethoxylate sulfate and polyhydroxy fatty acid amide surfactants and toluene sulfonate salt" (Convention date 6th May, 1994)—U.S.A.
- 801/Del/95. The Procter & Gamble Company, U.S.A., "Heavy duty liquid laundry detergent composition containing anionic and amino oxide surfactants and fatty acid". (Convention date 10th May, 1994)—U.S.A.
- 802/Del/95. The Procter & Gamble Company, U.S.A., "Sanitary napkin having a resilient body-conforming portion" (Convention date 11th May, 1994)—U.S.A.
- 803/Del/95. The Procter & Gamble Company, U.S.A., "Granular detergent composition containing admixed fatty alcohols for improved cold water solubility". (Convention date 16th May, 1994)—U.S.A.
- 804/Del/95. The Procter & Gamble Company, U.S.A., "Process for making a high density detergent composition from starting detergent ingredients" (Convention date 20th May, 1994)—U.S.A.
- 805/Del/95. The Procter & Gamble Company, U.S.A., "Ultra mild personal cleansing bar containing smaller-sized particulate wax" (Convention date 10th May, 1994)—U.S.A.
- 806/Del/95. Courtaulds Fibers (Holdings) Limited, England, "Lyocell fabric treatment to reduce fibrillation tendency". (Convention date 3rd May, 1994)—U.K.

2nd May, 1995

- 807/Del/95. The Procter & Gamble Company, U.S.A., "Dye transfer inhibiting composition with specifically selected metallo catalysts" (Convention date 11th May, 1994)—U.S.A.

- 808/Del/95. Nordson Corporation, U.S.A., "Cyclone recovery system" (Convention date 11th May 1994 and 10th March, 1995)—Australia.
- 809/Del/95. Imperial Chemical Industries Plc., England, "Detergent compositions and processes of making them" (Convention date 23rd October, 1989) 19th December, 1989)—England.
- 810/Del/95. Robert Oliver Hill, South Africa, "A fuse and a method of manufacturing it" (Convention date 2nd May, 1994)—South Africa.
- 811/Del/95. Alcatel Standard Electrica, "Spain", fixed cellular terminal for two-wire Telecommunications Services" (Convention date 31st May, 1994)—Spain.
- 812/Del/95. Dentsply International Inc., U.S.A. "Improved poly-vinyl siloxane impression material" (Convention date 14th April, 1995)—U.S.A.

3rd May, 1995

- 813/Del/95. Discovision Associates, California, "Method and apparatus for retrieving data from a storage device" (Convention date 6th May, 1994, 13th January, 1995)—California.
- 814/Del/95. The Director, I.I.T., Kanpur, "Process for the recovery of inorganic compounds from kraft liquor".
- 815/Del/95. Sony Corporation, Japan, "Error correction method for using digital disk system".
- 816/Del/95. Honda Giken Kogyo Kabushiki Kaisha, Japan, "Brake system for Motorcycles".

4th May, 1995

- 817/Del/95. Dr. Miss Pushpa Khanna (Retd.), New Delhi, "A Hypoglycaemic sub-lingually effective polypeptide-P from a plant source".
- 818/Del/95. Hercules Incorporated, U.S.A. "Process for the extraction of soluble polysaccharides" (Convention date 22nd June, 1994)—U.S.A.
- 819/Del/95. Motorola Inc., U.S.A. "A method and apparatus for identifying a coded communication signal".

5th May, 1995

- 820/Del/95. The Procter & Gamble Company, U.S.A., "Personal cleansing soap-synthetic bar compositions with low levels of nonionic, polyethylene/polypropylene glycol polymers for improved mildness" (Convention date 10th May, 1994)—U.S.A.
- 821/Del/95. The Procter & Gamble Company, U.S.A., "Sanitary napkin having a fluid previous peripheral masking member" (Convention date 16th May, 1994)—U.S.A.
- 822/Del/95. Strix Limited, RG, Isle, "Electrical" coupling (Convention date 10th May, 1994, 19th October 1994)—Great Britain.
- 823/Del/95. International Business Machines Corporation, U.S.A., "A computer display having a display screen and a cursor" (Convention date 3rd October, 1989)—U.K.
- 824/Del/95. Bharat Heavy Electricals Limited, New Delhi, "A process for the preparation of cordinate from flyash".
- 825/Del/95. Bharat Heavy Electricals Limited, New Delhi, "A process for the preparation of synthetic granite tiles from flyash".

826/Del/95. Bowhringer Ingelheim International GMBH, Germany, "New amino acid derivatives, processes for the manufacture thereof and pharmaceutical compositions containing these compounds (II)" (Convention date 7th May, 1994, 22nd December, 1994)—Germany.

827/Del/95. Astra Aktiebolag, Sweden, "New agonist compounds" (Convention date 18th May, 1994)—Sweden.

828/Del/95. Astra Aktiebolag, Sweden, "New antagonist compounds" (Convention date 18th May, 1994)—Sweden.

829/Del/95. Lenzing Aktiengesellschaft, Austria, "Spinning device with movable joint".

830/Del/95. Motorola Inc., U.S.A., "Method and system for management of frequency spectrum among multiple applications on a shared medium" (Convention date 2nd May, 1995)—U.S.A.

831/Del/95. Motorola Inc., U.S.A., "Method and apparatus for a hybrid contention and polling protocol" (Convention date 2nd May, 1995)—U.S.A.

832/Del/95. Motorola Inc., U.S.A., "Method and apparatus for multilink polling" (Convention date 2nd May, 1995)—U.S.A.

833/Del/95. Ciba-Geigy AG., Switzerland, "Process for the preparation of unsaturated amino compounds".

APPLICATIONS FOR PATENTS FILED IN THE PATENT OFFICE BRANCH, AT TODI ESTATES, THIRD FLOOR SUN MILL COMPOUND, LOWER PAREL (W), BOMBAY-13.

20th March, 1995

119/Bom/95. Universal Chemical & Industries Pvt. Ltd. A Process for the preparation of potassium manganate.

120/Bom/95. Neevedita Plastic Industries Pvt. Ltd. An Improved root trainer.

121/Bom/95. Abhay Mangaldas. Improvements in or Relating to Food Processing Machine.

21st March, 1995

122/Bom/95. Gujarat Propack Limited. A Novel composition used for production Biaxially oriented polypropylene (BOPP) Film having writable off-set printable and silky finish properties, A process for preparing the composition, A process for producing A film from the composition and the film produced by the process.

123/Bom/95. Gujarat Propack Limited. Writable and/or off-set printable film. A method for preparing the film and an Apparatus for producing the film.

124/Bom/95. Rallis India Limited. A Process for the preparation of the pesticide 3-phenoxy benzyl-2-(4-chlorophenyl)-2-Methylpropyl ether commonly known as etofenprox.

23rd March, 1995

125/Bom/95. Kaustubh Madhusudan Bhagwat. Jumb Dilator for Dilatation of orifice and the Distometer.

26th March, 1995

126/Bom/95. Indian Petrochemicals Cor. Ltd. An Improved process for the synthesis of acrylonitrile based polymer in dimethyl sulphoxide system for special acrylic fibre.

27th March, 1995

127/Bom/95. Viswanath Dattatreya Hukerikar. Hydrostatic Transmission system for Automotive Vehicles.

28th March, 1995

128/Bom/95. Dr. Subhash H. Palsapure, and Datta V. Gosavi. Manufacturing of Bamboo Binded Synthetic wood made from Sawdust, Agrowaste, Dolomite Magnesium Oxychloride.

129/Bom/95. Dr. Pranab Dastidar. A Scanning Arrangement for fast memory Access.

29th March, 1995

130/Bom/95. Hindustan Lever Ltd. Microemulsion. U.P. Priority dated 31-3-94 & 6-7-94.

131/Bom/95. Hindustan Lever Ltd. Detergent Compositions. U.K. Priority dated 31-3-94 & 15-7-94.

132/Bom/95. Hindustan Lever Ltd. Detergent Compositions. U.K. Priority dated 31-3-94 & 15-7-94.

133/Bom/95. Hindustan Lever Ltd. Assembling articles.

134/Bom/95. Extrusion of materials.

135/Bom/95. Parag Prabhakar Khedkar. Mosquito repellent coil.

136/Bom/95. Parag Prabhakar Khedkar. A multiple mosquito repellent coil.

137/Bom/95. Parag Prabhakar Khedkar. A safe and user friendly device for burning mosquito repellent coil.

138/Bom/95. Apt Controls & Appliances Pvt. Ltd. A stem type thermal cutout.

139/Bom/95. Mintage Consultants Pvt. Ltd. Rotary positive Displacement Machine.

140/Bom/95. Prakash Krishna Ratnaparkhi. Novel powder compacting press.

141/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A new sauce known as braai sauce particularly for use with pizzas pastas and for flavouring garnishing food dishes.

142/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A new salad dressing and a method of making the salad Dressing.

143/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A novel pizza Topping.

144/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A Novel pizza topping.

145/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A novel pizza topping.

146/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A novel pizza topping.

147/Bom/95. Dr. Neeta Saraiya & Dr. Mohan Dewan. A novel pizza topping.

30th March, 1995

148/Bom/95. Sham Bhalachandra Antoorkar. An air cooling and heat exhaust System for vehicle comprising the same.

149/Bom/95. Shekhar Atmaram Soman and Vidhvadhar Damodar Kulkarni. An Improved anchoring means for Securedly Closing A Door.

150/Bom/95. Rajendra Hiraji Mathrawala. Machine capable of throwing ball for the purpose of play or practice.

151/Bom/95. Mrs. Anagha Ravindra Dandavate. Composition and process to manufacture a Herble lip conditioner/lipstick.

30th March, 1995

- 52/Bom/95. Kam-Avida Enviro Engineers Pvt. Ltd. An Improved Drain cleaning Machine.
- 53/Bom/95. Shri Ravindrakumar Ramjibhai Yadav. An Improvement in packing arrangement of match sticks in a Match Box.
- 54/Bom/95. Dr. Sumati Vasudeo Bhide. A process to prepare medicinal preparation containing extracts of turmeric, catechu/khairsaal and Betel leaf.

31st March, 1995

- 55/Bom/95. Rallis India Limited. Process for the preparation of the fungicide methyl N-(2-methoxyacetyl)-N-(2, 6-xylyl)-DL-alaninate commonly known as metalaxyl.

## APPLICATIONS FOR PATENTS FILED AT THE PATENT OFFICE, BRANCH, MADRAS-2

5th June, 1995

- 561/Mas/95. B. Narayanan & B. Balakrishnan. Jewellery with changeable stones.
- 562/Mas/95. B. Narayanan & B. Balakrishnan. A toothbrush cum tongue cleaner.
- 563/Mas/95. K.B. Manojkumar. FM Sub (for making the FM Programmes being heard in the Medium Band of Radios).
- 564/Mas/95. Leonhard Kurz GMBH & Co. Surface element having a three-dimensional microstructure which is coated in a region-wise manner and use of such an element.
- 565/Mas/95. Elf Atochem SA. Process for the alcoholysis of carbon tetrachloride.
- 566/Mas/95. Institut Francais Du Petrol. Catalytic hydrogenation process and a catalyst for use in the process.
- 567/Mas/95. Ebara Corporation. Method of irradiation with electron beams.

6th June, 1995

- 568/Mas/95. Sree Chitra Tirunal Institute for Medical Sciences & Technology. The synthesis of molecularly imprinted polymers by gamma irradiation.
- 569/Mas/95. Otsuka Pharmaceutical Company, Limited. Benzoheterocyclic derivatives.
- 570/Mas/95. Leonhard Kurz GMBH & Co. Stamping foil, in particular a hot stamping foil with decorative or security elements.
- 571/Mas/95. Leonhard Kurz GMBH & Co. Structure arrangement having an optical-diffraction effect.
- 572/Mas/95. Leonhard Kurz GMBH & Co. and Deutsche Bundesbank. Structure arrangement with a relief structure having an optical-diffraction effect.
- 573/Mas/95. Hedley Purvis Limited. Improved reaction nut. (June 7, 1994; Great Britain).
- 574/Mas/95. Hedley Purvis Limited. Mounting assembly for a plurality of bolt working devices (June 7, 1994; Great Britain).
- 575/Mas/95. Hedley Purvis Limited. Method of tensioning & De-tensioning a bolt. (June 7, 1994; Great Britain).
- 576/Mas/95. Joel Sternheimer. Process for epigenetic regulation of protein biosynthesis by scale resonance. (Divisional to Patent Application No. 381/Mas/93).
- 577/Mas/95. FMC Corporation. Forged flight bar and method of making the same.

678/Mas/95. Novo Hordisk A/S. Extracts/cloud stability.

679/Mas/Hoechst Aktiengesellschaft. Process and apparatus for preparing 1, 2-dichloroethane by direct chlorination with off-gas recycling.

7th June, 1995

- 580/Mas/95. S.A.R. Navakodi Allirajan. Video laser disc player with self censor skip mechanism and video laser discs with skip mechanism code.
- 581/Mas/95. Rhone-Poulenc Inc. Guar gum composition and process for making it.
- 582/Mas/95. Novo Nordisk A/S. Dye-transfer inhibitory preparation, and detergent composition comprising such a preparation.
- 583/Mas/95. Novo Nordisk A/S. Method for reusing a carrier for lipase immobilization.
- 584/Mas/95. International Business Machines Corporation. Timing based servo system for magnetic tape systems.
- 585/Mas/95. Dynapac Gmbh. Laying plank for a road finisher.
- 586/Mas/95. Bracco S.p.A. A process for the preparation and separation of diastereomeric salts of folic acid.
- 587/Mas/95. Rieter Ingolstadt Spinnereimaschinenbau Aktiengesellschaft. Device for pivoting a reciprocating flat can on a textile machine delivering sliver.
- 588/Mas/95. Rieter Ingolstadt Spinnereimaschinenbau Aktiengesellschaft. Process for positioning a sliver end at a charged flat can and device for carrying out the process.
- 589/Mas/95. Rieter Ingolstadt Spinnereimaschinenbau Aktiengesellschaft. Method and device for severing the sliver on a sliver delivering textile machine.

8th June, 1995

- 590/Mas/95. Guardsman Products, Inc. Water-reducible gold ball coating.
- 591/Mas/95. Foseco International Limited. Improvements in molten metal handling vessels. (July 16, 1994; Great Britain).
- 592/Mas/95. BOC Group plc. Air separation. (June 17, 1994; Great Britain).
- 593/Mas/95. Mitsubishi Jukogyo Kabushiki Kaisha. Method for controlling the oxidation of sulfites.
- 594/Mas/95. Jobst Ulrich Gellert. Injection molding nozzle with removable collar portion. (June 30, 1994; Canada).

9th June, 1995

- 595/Mas/95. Subramanian Krupakar Murali. Utilizing energy from lighting discharge to ignite fusion reaction—byname lightning discharge, new source of energy.
- 596/Mas/95. Lucas Industries Public Limited Company. Pneumatic brake booster and process for manufacturing same.
- 597/Mas/95. Fernz Corporation Limited. Biodegradable sustained release composition. (June 10, 1994; New Zealand).
- 598/Mas/95. Centro de Ingenieria Genetica Biotecnologia. Recombinant single chain FV antibody fragment and its use in the immunopurification of the recombinant Hepatitis B virus surface antigen.
- 599/Mas/95. A. Ahlstrom Corporation. Method and apparatus for recovering heat from hot process gases.

700/Mas/95. Rosemount Inc. Power supply for field mounted transmitter.

12th June, 1995

701/Mas/95. G. Radhakrishnan. Top roller treatment plant in spinning mills.

702/Mas/95. Mysore Sandal Products. A method of preparing germicidal anti-viral liquid washing soap with perfumes for use in hotels and at homes.

703/Mas/95. CPC International Inc. Process for producing an edible product. (June 11, 1994; British).

704/Mas/95. Ajinomoto Co., Inc. -Ketoglutarate dehydrogenase gene.

705/Mas/95. Kenneth R. Kurple. Foundary resins.

706/Mas/95. Bau-Und Forschungsgesellschaft Thermoform AG. A knife assembly for sliding woodwool.

707/Mas/95. British Telecommunications plc. Telecommunications system.

708/Mas/95. British Telecommunications plc. Telecommunications system.

13th June, 1995

709/Mas/95. Sree Chitra Tirunal Institute for Medical Sciences & Technology. Migration resistant plasticized poly (vinyl chloride) (PVC).

710/Mas/95. L.P.C. Equipment Research Centre. A device for measuring the density of liquefied petroleum stored.

711/Mas/95. Haynes International Inc. Copper containing NI-CR-MO alloys

712/Mas/95. Norton Company Composite abrasive products.

713/Mas/95. Norton Company. Abrasive products.

714/Mas/95. Institut Francais Du Petrole. Process and device for monitoring by periodic excitation a flow of particles in a pipe.

715/Mas/95. Hoechst Aktiengesellschaft. Copolymer of the tetrafluoroethylene-ethylene type having a core-shell particle structure.

716/Mas/95. BASF Aktiengesellschaft. Preparation of cyclic lactams.

14th June 1995

717/Mas/95. Institut Francais du Petrole. Passivation method for metallic articles of nickel and iron based superalloy.

718/Mas/95. International Business Machines Corporation. Low profile thin film write head.

719/Mas/95. ASI Research Inc. Flexible printed circuit sleep switch for electronic device. (April 28, 1995; U.S.A.).

720/Mas/95. Smith & Loveless Inc. Wastewater treatment method and apparatus.

721/Mas/95. The Wellcome Foundation Limited. Enzyme inhibitors.

722/Mas/95. Barmag AG. Heating apparatus for heating an advancing synthetic filament yarn.

723/Mas/95. CPC International Inc. Production of boil-in-bag preparations.

15th June, 1995

724/Mas/95. Dr. C. K. Raj Kumar and Dr. R. Siva Kumar. Coronary dilator.

16th June, 1995

725/Mas/95. G. L. Narasimham. Cubic container.

726/Mas/95. John Robert Briggs & Jonathan Joshua Kurland. Process for improving enantiomeric purity of aldehydes.

727/Mas/95. Jay Fingeret, David Robert Bryant; Kenneth Lock Hoy; Nancy Ellen Kinkade and Rachel Hilda Zanapalidou. Membrane separation process. (May 1, 1995, U.S.A.).

728/Mas/95. Mobil Oil Corporation. Two-phase distributor system for downflow reactors.

729/Mas/95. F. Smidth & Co. A/S. Plant for heat treatment of lumpy material.

730/Mas/95. CTB Inc. A feeder apparatus. (Divisional to Patent Application No. 693Mas/91).

731/Mas/95. Mitsubishi Materials Corporation. Magnesia-titania refractory and method for manufacturing the same.

732/Mas/95. Stanpacks (India) Ltd. Biodegradable flexible bags.

733/Mas/95. Trudell medical limited. Nebulizing catheter system and methods of use and manufacture.

734/Mas/95. Savio Macchine Tessili s.r.l. Method for the automatic regulation of the thread tension in a bobbini-winding machine.

735/Mas/95. Atomic Energy Corporation. Process for treating silica bearing material.

#### ALTERATION OF DATE UNDER SECTION 16

175839

287/Cal/92)

antedated to 22nd August, 1988.

175840

(183/Cal/93)

antedated to 2nd December 1991.

#### COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of Patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form 15 of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule-36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/-.

## स्वीकृत सम्पूर्ण विनिर्देश

एतद्वारा यह सूचना दी जाती है कि सम्बद्ध आवेदनों में से किसी पर पेटेंट आदान का विरोध करने के इच्छुक कोई व्यक्ति, इससे निर्गम की तिथि से चार (4) महीने या अधिक तारीखी अवधि को उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपत्र-14 पर आवेदित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एकत्र के उपरान्त कार्यालय में ऐसे विरोध की सूचना विहित प्रपत्र 15 पर के सकते हैं। विरोध सम्बन्धी लिखित वक्तव्य, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के नियम 36 में यथा विहित इसकी निधि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

“प्रत्येक विनिर्देश के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गीकरण तथा अन्तर्राष्ट्रीय वर्गीकरण के अनुरूप है।”

रूपांकन (चित्र आरखों) की फोटो प्रतियां यदि कोई हों, के साथ विनिर्देशों की टंकित अथवा फोटो प्रतियों की आपूर्ति पेटेंट कार्यालय, कलकत्ता अथवा उपयुक्त शाखा कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र-व्यवहार द्वारा सुनिश्चित करने के उद्देश्य से उसकी अदायगी पर की जा सकती है। विनिर्देश की पाठ संख्या के साथ प्रत्येक स्वीकृत विनिर्देश के सामने नीचे वर्णित चित्र आरखे कागजों को जोड़कर उसे 2 से गुणा करके; (क्योंकि प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 2/- रु. है); फोटो लिप्यान्तरण प्रभार का परिकलन किया जा सकता है।

Cl.: 76 E, F.

175831

Int. Cl.: B 25 B. 5/06.

## MACHINE FOR AUTOMATICALLY MOUNTING AND TIGHTENING CLAMPS.

Applicant : HANS OETIKER AG HASCHINEN-UND APPARATERABRIK OF OBERDORFSTRASSE 21, CH-8812 HORGEN, SWITZERLAND.

Inventor : HANS OETIKER.

Application No. 33/Cal/91; filed on 10th January 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

20 claims.

A machine for automatically affixing onto an object to be fastened thereby an open clamp structure formed by clamping band means having at least one outwardly extending hook means within the area of the clamping band means intended to form an inner band portion at least one corresponding aperture means for engagement by said hook means and located within the area of the clamping band means intended to form an outer band portion overlapping the inner band portion when the clamp structure is installed about the object to be fastened thereby and tightening means in said clamping band means for tightening said clamp structure about the object to be fastened thereby said tightening means being located in said clamping band means on the side of said aperture means opposite the free end of the outer band portion comprising :

means for holding the clamp structure in predetermined position relative to the object to be fastened.

first jaw like means operable to urge that part of the clamping band means including the inner band portion about the object to be fastened,

second jaw like means operable to urge that part of the clamping band means including the outer band portion about the object to be fastened and to prepare for engagement of the hooklike means in the aperture means,

further jaw like means operable to engage with the tightening means to tighten the clamp structure about the object to be fastened.

actuating means for actuating said holding means, said first jaw means, said second jaw like means and said further jaw like means in predetermined sequence and relatively fixed frame means.





FIG. 2

(Compl. specn. 22 pages.

Drgns. 2 sheets)

Cl.: 140 A (1), A (2)—Xi (2)

175832

Int. Cl.: B 01 D 11/00, 3/38

C 10 G 33/04

## “SOLVING DEWAXING OF LUBRICATING OILS”.

Applicant : TEXACO DEVELOPMENT CORPORATION, 2000 WESTCHESTER AVENUE, WHITE PLAINS, NEW YORK 10650, UNITED STATES OF AMERICA.

Inventor : AVILINO SEQUEIRA JR.

Application No. : 231/Cal/91 filed on 19th March, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta

6 claims

A process for producing a dewaxed lubricating oil from a wax-bearing mineral oil comprising :


(a) mixing the oil with a known dewaxing solvent namely aliphatic ketones of the 3-6 carbon atoms,  $C_2-C_4$  range hydrocarbons,  $C_6-C_7$  aromatic hydrocarbons, halogenated  $C_1-C_4$  hydrocarbons, and mixtures of such solvents thereby forming an oil-solvent mixture.

(b) chilling the oil-solvent mixture to a dewaxing temperature as herein described thereby crystallizing the wax and forming an oil-solvent-crystalline wax mixture.

(c) separating in a known manner the oil-solvent-crystalline wax mixture to form a dewaxed oil-solvent mixture and crystalline wax,

(d) steam stripping the dewaxed oil-solvent mixture to yield a solvent free dewaxed oil,

characterized in that the solvent free dewaxed oil is contacted with an inert gas having a dew point about  $-100^{\circ}\text{F}$  ( $-73^{\circ}\text{C}$ ) or lower at a contacting rate of 0.5 to 10 SCF/bbl (0.09 to  $1.8\text{Sm}^3/\text{m}^3$ ) and a temperature from  $300^{\circ}\text{F}$  to  $600^{\circ}\text{F}$  ( $150^{\circ}\text{C}$  to  $315^{\circ}\text{C}$ ) and a pressure of 0.2 to 16 psia (1.36 to 110 kpa), thereby yielding a dewaxed lubricating oil free of water haze.



(Compl. Specn. 20 pages

Drgns. 1 sheet.)

Cl : 172 C 4

175833

Int. Cl.4 : D 01 H 5/86

"AN APRON TABLE ARRANGEMENT FOR A DRAFTING UNIT".

Applicant : SPINDELFABRIK SUSSEN, SCHURR, STA-  
CHLECKER & GRILL GMBH. OF DAMMSTRASSE 11,  
7334 SUSSEN, FRG, GERMANY.

Inventors : (1) HANS STAHLCKER, (2) NORBERT  
BARAUKE.

Application No. : 250/Cal/92 filed on 13th April, 1992

Appropriate Office for Opposition Proceedings (Rule 4,  
Patents Rules, 1972), Patent Office, Calcutta

#### 19 Claims

An apron table arrangement for a drafting unit, comprising a guiding table which carries at least one bottom apron and which is provided with a table top which can be swivelled away from a bottom delivery roller, characterized in that the table top 21 has a projection 20 which is provided on both sides with opposing guide surfaces 27, 28 which are positively guided in a receiving device 50 constructed as

a connecting link guide during the swivel movement of the table top 21.




Fig.1

(Compl. Specn. 25 pages

Drgns. 5 sheets.)

Cl. : 154-D, E, F.

175834

Int. Cl. B 41 F 3/02, 3/12, 3/00, B41M 1/10.

"IMPRESSION CYLINDER DEVICE OF AN INTAGLIO  
MACHINE FOR A WEB-FED PRINTING."

Applicant : DE LA RUE GIORI S. A. OF 4, RUE DE LA  
PAIX 1003 LAUSANNE/SWITZERLAND.

Inventors : (1) FESER NARBERT ADOLF, (2) SCHEL-  
LER WOLFGANG LEO.

Application No. 252/Cal/91, filed on 01st April, 1991.

Appropriate Office for Opposition Proceedings (Rule 4,  
Patents Rules, 1972), Patent Office, Calcutta

#### 11 claims

Impression cylinder device of an intaglio machine for web-fed printing comprising a device for cooling the impression cylinder (2) with at least one continuous metal belt (6) running over cooling drum (4) and non-cooled drum (5) which the metal belt rests on the surface of the impression cylinder (2) along the circumferential section of the latter and is movable at a speed corresponding to the circumferential speed of the impression cylinder (2) such that the belt (6) is pressed against the impression cylinder (2) for cooling.









FIG. 1



(Compl. Spec. 13 pages)

Drawn. 6 sheets.)

Cl. 79 : 117 B : 20 B.

175835.

Int. Cl. : B 42 F 1/04, 13/18, 13/36.

"A NOVEL LOCKING OR BINDING MECHANISM CAPABLE OF BEING EMPLOYED FOR FASTENING, HOLDING OR RECURING DIVERSE MEMBERS, ELEMENTS OR SUBSTRATES".

Applicant : GILLANDERS ARBUTHNOT & CO. LTD.  
OF A-1, GILLANDER HOUSE, NETAJI SUBHAS ROAD,  
CALCUTTA-700 001, INDIA.

Inventor : DR. ALOKE CHAKRAVARTTY.

Application No. 383/Cal/1991; filed on 23rd May, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta

9 claims.

A novel locking or binding mechanism capable of being employed for fastening, holding or securing diverse members, elements or substrates which comprises in combination—

- (a) a cross-bar with a plurality of holes and notches to hold or affix the same with other members of the said mechanism as herein described;

- (b) an insert fitted with said cross-bar;


- (c) a locking means comprising a laminar or plate-like body with a plurality of recesses and notches, and having two lips or prongs protruding from one end of said body and securely affixed thereto and uniformly spaced apart from the centre-line of said body, the said lips or prongs having holes running across the said body ;

- (d) compression spring for operating the locking means

- (e) capping plate for opening or closing the spring-actuated mechanism, one end of which is attached to the locking mechanism and the other end can execute movement around an arc, through an angle or about 90°;

- (f) guide bar along which the locking assembly slidably moves forwards and backwards and is capable of being securely affixed in any desired position; and

- (g) housing for holding the moving parts of the mechanism like springs, rollers, and the like members thereof.



(Compl. Specn. 13 pages

Drngs. 1 sheet.)

Cl. : 194 - C-4 (B)

175836

Int. Cl. : H 01 J 29/00, 29/02

"METHOD FOR MANUFACTURING A SCREEN OF A COLOR CATHODE RAY TUBE".

Applicant : SAMSUNG ELECTRON DEVICES CO., LTD., OF SHIN-RI, TAEAN-EUB, HWASEONG-GUN, KYUNGGI-DO, REPUBLIC OF KOREA.

Inventor : HANG-KU-JI.

Application No. 396/Cal/91 filed on 27th May, 1991.

Appropriate Office for Opposition Proceedings (Rule Patents Rules, 1972), Patent Office, Calcutta

4 claims.

A method for manufacturing a screen of a color cathode ray tube comprising the steps of :

coating an adhesion strengthening layer made of a pre-coating agent of which the main ingredient is poly vinyl alcohol over the inner surfaces of the panel and the panel skirt;

coating black matrix stripes and fluorescent stripes on said adhesion strengthening layer within the panel;

coating a pyrolysis mitigating layer which includes acrylic emulsion, poly vinyl alcohol and water in the ratio of approximately 1 : 1 : 21 by wt. on said adhesion strengthening layer within the panel skirt to moderate sudden pyrolysis of poly vinyl alcohol of said adhesion strengthening layer during the subsequent baking step.

coting of filming layer over the black matrix strips and fluorescent strips;

cotaing a thin metal film on the resultant structure; and

baking the resultant structure, thereby removing said adhesion strengthening layer, film layer and pyrolysis mitigating layer.

(Compl Specn. 11 pages

Drgn. 1 sheet.)

Cl. 203

175837.

Int. Cl.<sup>4</sup> : B 65 H 03/12.

"SHEET-FEEDER".

Applicant : DE LA RUE GIORI S. A. OF 4, RUE DE LA PAIX 1003 LAUSANNE/SWITZERLAND.

Inventor : SAUER HARTMUT, KARL.


Application No. 251/Cal/1991; filed on 01st April, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Calcutta.

16 claims.

Sheet-feeder, comprising a magazine (24) for receiving a sheet stack(S), an apparatus for individualizing the sheet with movable separating elements(1), which have a suction surface (5) with openings (9), able to be connected to

a suction-air source, for contacting the sheet to be individualized and separating the same from the remaining stack, a sheet conveyor for transporting away the individual sheets, characterized in that the magazine(24) is set out for receiving sheets lying substantially vertically. one on top of the other and has a base (26), which extends only over a part of the magazine underside and leaves free an edge strip (R) of the stack, a predetermined number of separating elements (1) provided with a curved suction surface (5) as herein described, are fastened to an endless belt (18) to move past in front of the free edge strip, at a distance from one another which is greater than the length of the edge strip(R), the front edge (4) of the element in the direction of movement, the suction surface(5) is oriented parallel to the plane of the edge strip and the suction surface is curved away from this plane in the direction of its rear edge(7) is such a way that its angle of inclination with respect of this plane increases constantly, so that the edge strip(R), of the lower most sheet is increasingly bent away downward from the remaining stack as it is sucked against the curved suction surface, at least two spacers (11) are fastened to the endless belt (18) downstream of each separating element(1), in the direction of movement of the distance of which spacers from one another and from the respectively neighbouring separating element (1) is less than half of the length of the edge strip and which spacers run through between the bent-away edge strip(R') of the lower most sheet and the remaining stack, supporting the latter, and in that, after complete separation of an edge strip(R') in a position of the endless belt (18) in which there are only spacers (11) underneath the sheet stack(S), the individualized sheet (W) assumes its transfer position and is taken over by the sheet conveyor.



(Compl. Specn. 24 pages

Drgns. 12 sheets.)

Cl. : 116 C

175838

Int. Cl.<sup>4</sup> : B 65 G 15/30.

"IMPROVEMENTS IN OR RELATING TO SKIRT BOARD FOR USE IN A CONVEYOR SYSTEM".

Applicant : TEQA INDIA LIMITED, UNIT HOUSE, P-40, BLOCK B, NEW ALIPORE, CALCUTTA-700053, WEST BENGAL, INDIA.

Inventor : MR. SYED YAVAR IMAM.


Applicatnion No. 943/Cal/91 filed on 23rd December, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Calcutta.

10 claims.

An improved skirt board for use with a conveyor system, such as a conveyor belt having a backing plate for mounting thereon a plurality of skirt boards, said improved skirt board being in the form of an individual block having the front side adapted to face said backing plate and the back side adapted to abut said skirt board on said backing plate having a plurality of mounting means corresponding to said channel section, characterised in that, said front side is provided with a centrally extending vertical channel section on each side of which there is a projecting part extending not up to bottom of said skirt board, a pair of vertically slots on said back side said back side having a vertically elongated slot which corresponds to the securing means provided on its mounting means on which the skirt board is guided vertically and the

lock plate having a lateral portion and a pair of clamps/tongues adapted to slide vertically within said pair of vertical slots thereby controlling and/or preventing the vertical movement of the skirt board.



(Compl. Specn. 11 pages)

Drgns. 2 sheets.)

Cl : 55A+128A+189+152E+F.

175839.

Int. Cl.<sup>4</sup> : A 61 F 13/00.

A 61 K 7/32.

B 29B 15/10.

B 29 D 7/01.

**"A SANITARY NAPKIN HAVING A FLEXIBLE DEODORANT SUBSTRATE."**

Applicant PERSONAL PRODUCTS COMPANY OF VAN LIEW AVENUE, MILLTOWN, NEW JERSEY 08850, UNITED STATES OF AMERICA.

Inventor : SHMUEL DABI.

Application No. 287/Cal/1992; filed on 27th April, 1992. (Divided out of No. 699/Cal/1988; antedated to 22/8/88).

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta

5 claims.

A sanitary napkin having flexible deodorant substrate in the form of a non-woven web, a paper tissue or a water insensitive film coated with a hydrophilic water insoluble water swellable cross-linked polymer film as herein described containing a powdered deodorant completely or partially encapsulated in said polymeric film in a dust free manner, wherein said deodorant-containing substrate is placed directly under the body facing material layer of the napkin.

(Compl. Specn. 13 pages.

Drgns. Nil.)

Cl. : 55 D-2

175840

Int. Cl.<sup>4</sup> : A 01 N 43/34

C 07 D 207/00, 209/00.

**"PROCESS FOR THE MANUFACTURE OF INSECTICIDAL, 2-ARYL-1-(ALKOXYMETHYL)-4-HALO-5-(TRIFLUOROMETHYL) PYRROLES."**

Applicant : AMERICAN CYANAMID COMPANY, AT ONE CYANAMIDE PLAZA, WAYNE, STATE OF NEW JERSEY 07470, UNITED STATES OF AMERICA.

Inventors : (1) VENKATARAMAN KAMESWARAN, (2) ROBERT FANCIS DOEHNER JR., (3) JERRY MICHAEL BARTOR, (4) DAVID GEORGE KUHN.

Application No. 183/Cal/93 filed on 30th March, 1993. (Divided out of No. 894/Cal/91 ante-dated to 02-12-91).

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

# 1 Claim

A process for the preparation of a compound characterized by Formula II of the accompanying drawings.

wherein

A is hydrogen or C<sub>1</sub>—C<sub>4</sub> alkyl,

L is hydrogen or halogen and

M and R are each independently hydrogen, C<sub>1</sub>—C<sub>3</sub> alkyl, C<sub>1</sub>—C<sub>3</sub> alkoxy, C<sub>1</sub>—C<sub>3</sub> alkylthio, C<sub>1</sub>—C<sub>3</sub> alkylsulfinyl C<sub>1</sub>—C<sub>3</sub> alkylsulfonyl CN NO<sub>2</sub> halogen CF<sub>3</sub>, R<sub>1</sub>CF<sub>2</sub>Z R<sub>2</sub>CO or NR<sub>3</sub>R<sub>4</sub> and when M and R are on adjacent positions they may be taken together with the carbon atoms to which they are attached to form a ring in which MR represents the structure.

—OCH<sub>2</sub>O—, —OCF<sub>2</sub>O— or —CH=CH—CH=CH—

with the proviso that when A is hydrogen, then at least one of L, M and R must be other than hydrogen;

Z is S(O)<sub>n</sub> or O;

R<sub>1</sub> is hydrogen, F, CHF<sub>2</sub>, CHFC1 or CF<sub>3</sub>;

R<sub>2</sub> is C<sub>1</sub>—C<sub>4</sub> alkyl, C<sub>1</sub>—C<sub>4</sub> alkoxy or NR<sub>3</sub>R<sub>4</sub>;

R<sub>3</sub> is hydrogen or C<sub>1</sub>—C<sub>4</sub> alkyl;

R<sub>4</sub> is hydrogen, C<sub>1</sub>—C<sub>4</sub> alkyl or R<sub>5</sub>CO;

R<sub>5</sub> is hydrogen or C<sub>1</sub>—C<sub>4</sub> alkyl and

n is an integer of 0, 1 or 2

which is characterized by reacting an aldehyde having the formula (IIA)

wherein L, M and R are as defined above with at least one molar equivalent of an amine hydrochloride having the structure H<sub>2</sub>N—A. HC1.

wherein A is as described above in the presence of a solvent to form an intermediate reacting said intermediate solution with an aqueous solution containing at least one molar equivalent of an alkali metal cyanide to form an amino nitrile intermediate, extracting said amino nitrile intermediate from the reaction mixture with a suitable solvent, selected from aprotic organic solvents, halogenated hydrocarbons, esters, carboxylic acid anhydrides, sulfones and aromatic hydrocarbons, reacting the amino nitrile intermediate with an acid anhydride in the presence of an organic base such as pyridine, morpholine, tri (C<sub>1</sub>—C<sub>4</sub>) alkylamine hexamethyl-tetraminedime hyamino-pyridine, to form an amido nitrile intermediate, reacting said amido nitrile with a mineral acid in the presence of water optionally at a elevated temperature between 55°C—210°C to give an amino acid intermediate and reacting said intermediate with trifluoroacetic anhydride to give the desired compound having formula II.

(Compl Specn. 13 pages

Drgns. 6 sheets.)

## RESTORATION PROCEEDINGS

Notice is hereby given that an application for restoration of Patent No. 170796 dated the 27th January, 1989 made by Hari Pada Das on the 31-12-1995 and notified in the Gazette of India Part III, Section 2, dated the 25th March, 1995 has been allowed and the said patent restored.

## OPPOSITION PROCEEDING

An Opposition entered by M/s. Electro-Mech Engg. to the grant of a patent application No. 172841(85/Bom/90) has been dismissed.

An opposition have been entered by M/s. Hindustan Seals Limited, Howrah-711 107, State West Bengal to the grant of a Patent on Patent Application No. 173890 (389 Bom, 92) made by Mr. Rapendra Somani, Oriental Containers Ltd., Bombay-400018.

#### AMENDMENT PROCEEDINGS UNDER SECTION 57.

Notice is hereby given that Philips Electronics N. V. a limited liability company organized and established under the laws of the Kingdom of the Netherlands at Groenewoudseweg 1, Eindhoven, The Netherlands have made an application under section 57 of the Patents Act, 1970 for amendment of specification of their application for patent No. 175549 for "Device for recording a digital information signal on a record carrier".

The amendments are by way of change of name from PHILIPS ELECTRONICS N. V.

The application for amendment and the proposed amendments can be inspected free of charge at Patent Office, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 or copies of the same can be had on payment of the usual copying charges. Any person interested in opposing the application for amendment may file a notice of opposition on the prescribed form 30 within three months from the date of this notification at the Patent Office, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020. If the Written Statement of Opposition is not filed with the Notice of opposition it shall be left within one month from the date of filing the said notice.

#### CANCELLATION OF AMENDMENT PROCEEDINGS U/s. 57

In the Gazette of India Part III, Sec-2 dated 13th August 1994, under the heading 'Amendment Proceeding under Section-7' towards change of address for Service in respect of Patent 172841 (85/Bom/90) stands cancelled.

#### RENEWAL FEES PAID

155874 156107 156109 157095 157140 157579 159430 159538  
159780 159971 160029 160993 161399 161691 161813 161852  
162176 163951 163966 164068 164355 164857 165352 165360  
165731 166304 166327 166700 166762 167830 167945 167967  
168658 169442 169512 169513 169531 169824 169830 169915  
169983 170471 170472 170473 170481 170998 171129 171295  
171324 171561 171808 171813 171814 171942 172038 172039  
172245 172453 172483 172613 173013 173181 173250 173294  
173392 173397 173398 173429 173465 173466 173520 173599  
173600 173735 173736 173871 173872 173873 173875 173883  
173884 173885 173886 173897 173954 173960.

#### PATENT SEALED ON 25-08-95

172841 173695\*D 174716 174731 174732\* 174734 174735  
174736 174737 174739 174740 174812.

CAL-02, DEL-01, BOM-01, MAS-08.

\*Patent shall be deemed to be endorsed with the words LICENCE OF RIGHT Under Section 87 of the Patents Act 1970 from the date of expiration of three years from the date of sealing.

#### D-DRUG PATENT, F-FOOD PATENT.

#### CESSATION OF PATENTS

157385 157393 157418 157438 157445 157471 157481 157511  
157545 157552 157578 157585 157665 157678 157753 157764  
157775 157798 157799 157830 157869 157892 157895 157898  
157899 157947 157949 157958 157980 158014 158070 158096

158105 158118 158135 158195 158240 158246 158272 158278  
158299 158334 158338 158340 158347 158369 158378 158412  
15431 158468 158508 158516 158522 158525 158528 158541  
158553 158567 158602 158607 158618 158636 158647 158654  
158659 158672 158674 158679 158682 158689 158707.

#### PRINTED SPECIFICATION PUBLISHED

A limited number of printed copies of the undernoted specification are available for sale from the patent office, Calcutta, and its branches at Bombay, Madras, and Delhi at two rupees per copy :—

(1)

164051 164052 164053 164054 164055 164056 164057 164058  
164059 164060 164061 164062 164063 164064 164065 164066  
164067 164068 164069 164070 164071 164072 164073 164074  
164075 164076 164077 164078 164079 164080.

(2)

16481 164082 164083 164084 164085 164086 164087 164088  
164089 164090 164091 164092 164093 164094 164095 164096  
164097 164098 164099 164101 164102 164103 164104 164105  
164106 164107 164108 164109 164110 164111 164112  
164113 164114 164115 164116 164117 164118 164119 164120  
164121 164122 164123 164124 164125 164126 164127 164128  
164129 164130.

(3)

164131 164132 164133 164134 164135 164136 164137 164138  
164139 164141 164142 164143 164144 164145 164146 164147  
164148 164149 164150 164151 164152 164153 164154 164155  
164156 164157 164158 164159 164160.

(4)

164161 164162 164163 164164 164165 164166 164167 164168  
164169 164170 164172 164173 164174 164175 164176 164177  
164178 164179 164180 164181 164182 164183 164184 164185  
164186 164187 164188 164189 164190 164191 164192 164193  
164194 164195 164196 14197 164198 164199 164200 164201  
164202 164203 164204 164205 164206 164207 164208 164209  
164210.

(5)

164211 164212 164213 164214 164215 164216 164217 164218  
164219 164220 164221 164222 164223 164224 164225 164226  
164227 164229 164230 164231 164232 164233 164234 164235  
164236 164237 164238 164239 164240 164241 164242 164243  
164244 164245 164246 164247 164248 164249 164250.

(6)

164252 164253 164254 164256 164257 164258 164260 164261  
164262 164263 164264 164266 164267 164268 164269 164270  
164271 164272 164273 164274 164275 164276 164277 164278  
164279 164280 164281 164282 164283 164284 164285 164286  
164287 164288 164289 164290 164291 164292 164293 164294  
164295 164296 164297 164298 164299 164300 164301 164302  
164303 164304 164305 164306 164307 164308 164309 164310.

(7)

164312 164313 164314 164315 164317 164318 164319 164321  
164322 164323 164324 164325 164326 164327 164328 164329  
164330.

#### NO PATENT

166963 167395 167777 167822 167823 167836 167844 167853  
167884 167898 167899 167901 167973 167987 168026 168027

## REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Designs Act, 1911.

The date shown in each entry is the date of the registration included in the entries.

Class 1. No. 167451. Titan Industries Ltd., a company registered under the Companies Act, 1956, whose address is Golden Enclave, Tower 'A', Airport Road, Bangalore-560017, Karnataka, India, "WRIST", 10th May 1994.

Class 3. No. 167218. Dalmia Industries Limited. 8th floor, Gopala Tower, 25, Rajendra Place, New Delhi-8, India, an Indian company, "BOTTLE", 21st April, 1994.

Class 3. No. 167178. Recon Enterprises Pvt. Ltd. M. Vasanji Road, J. B. Nagar, Bombay-59, Maharashtra, India, "CONTAINER" 8th April 1994.

Class 3. No. 167706. Eagle Fast Industries Limited, a company incorporated under the Indian companies Act, 1956 having its office at Eagle Estate, Talegaon-410507, Dist. Pune, Maharashtra, India. "WATER CARRIER", 27th June 1994.

Class 3. No. 167834. Hawkins Cookers Limited, of Maker Tower, F 101, Cuffe Parade P. O. Box No. 16083, Bombay-5, Maharashtra, India, "HANDLE", 29th July 1994.

Class 3. No. 167779. Ching Chuan Tang, a citizen of Taiwan, Republic of China "BALL POINT PEN" 14th July 1994.

Class 3. No. 167806. Ambitious Writing Instruments, 49, West Avenue, Punjabi Bagh, Delhi, India, a registered partnership firm, "BAL PEN", 21st July 1994.

Class 3. No. 167967. The Goodyear Tire & Rubber Company, a corporation organised under the laws of the State of Ohio, with offices at 1144, East Market Street, Akron, Ohio-44316-0001, U.S.A., "TYRE", 23rd August 1994.

Class 4. No. 167844 to 167846. H & R Johnson (India) limited, a company incorporated under the Indian companies Act, 1956 having office at Kakad Chambers 132, Dr. Annie Besant Road, Worli, Bombay-18, Maharashtra, India, "TILE", 4th August 1994.

Class 14. No. 167704. The Khatau Makanji Spinning & Weaving Co. Ltd., Laxmi Building, 6, Shoorji Vallabhdas Marg, Bombay-38, Maharashtra, India, "PRINTED CLOTH", 27th June 1994.

Class 14. No. 167553. The Khatau Makanji Spinning & Weaving Co. Ltd.; Laxmi Building, 6, Shoorji Vallabhdas Marg, Bombay-38, Maharashtra, India, "PRINTED CLOTH", 24th May 1994.

R. A. ACHARYA

Controller General of Patent,  
Design & Trade Marks

168048 168076 168100 168104 168111 168129 168145 168146  
168151 168159 168160 168185 168211 168228 168252 168257  
168260 168276 168282 168321 168323 168328 168358 168363  
168384 168412 168437 168452 168463 168467 168468 168473  
168478 168490 168493 168517 168527 168570 168577 168596  
168598 168600 168616 168631 168634 168639 168640 168649  
168689 168693 168725 168741 168757 168760 168761 168767  
168769 168783 168820 168847 168860 168865 168881 168887  
168890 168891 168895 168901 168905 168907 168921 168925  
168930 168931 168943 168947 168949 168951 168960 168962  
168980 168981 168982 169001 169032 169035 169040 169044  
169045 169046 169055 169057 169060 169061 169070 169104  
169114 169116 169117 169127 169128 169133 169138 169142  
169146 169162 169180 169185 169197 169201 169216 169221  
169231 169238 169239 169243 169252 169261 169290 169296  
169298 169304 169305 169310 169322 169324 169338 169363  
169398 169400 169406 169420 169437 169439 169441 169460  
169485 169486 169487 169499 169501 169506 169515 169532  
169557 169564 169569 169572 169592 169612 169615 169627  
169628 169643 169661 169664 169671 169672 169684 169690  
169701 169720 169721 169729 169740 169743 169748 169764  
169768 169770 169773 169780 169811 169812 169813 169815  
169819 169820 169832 169846 169859 169860 169864 169882  
169894 169897 169901 169903 169904 169924 169925 169946  
16948 169950 169957 169959 169961 169962 169963 169964  
169970 169975 170002 170005 170012 170044 170056 170060  
170075 170079 170081 170083 170096 170105 170112 170117  
170118 170124 170130 170137 170146 170155 170191 170192  
170201 170208 170229 170248 170249 170254 170258 170274  
170301 170307 170370 170379 170383 170404 170408 170427  
170431 170436 170460 170467 170470 170474 170501 170502  
170503 170504 170505 170506 170508 170513 170520 170528  
170530 170542 170543 170560 170567 170572 170576 170593  
170597 170614 170621 170639 170649 170650 170656 170676  
170692 170694 170721 170742 170758 170759 170761 170768  
170780 170781 170800 170803 170808 170820 170823 170825  
170843 170864 170878 170894 170896 170914 170932 170943  
170953 170963 171016 171023 171040 171072 171100 171104  
171119 171142 171202 171206 171211 171221 171222 171231  
171243 171246 171254 171257 171259 171270 171272 171286  
171291 171298 171311 171338 171344 171347 171352 171356  
171361 171369 171372 171377 171388 171391 171395 171403  
171416 171417 171419 171425 171429 171434 171441 171451  
171454 171461 171471 171505 171509 171519 171527 171533  
171552 171571 171576 171577 171581 171591 171598 171602  
171629 171631 171634 171641 171656 171671 171673 171674  
171677 171683 171694 171703 171721 171731 171735 171771  
171772 171776 171783 171785 171817 171818 171828 171851  
171861 171871 171874 171876 171878 171879 171884 171910  
171914 171926 171927 171931 171953 171962 171981 171982  
172019 172021 172024 172025 172026 172043 172045 172078  
172080 172082 172093 172097 172099 172103 172117 172118  
172119 172129 172132 172133 172140 172149 172154 172159  
172175 172176 172189 172202 172211 173316 172217 172231  
172257 172261 172276 172279 172282 172284 172305 172311  
172317 172322 172323 172324 172331 172336 172338 172349  
172366 172370 172371 172373 172374 172375 172394 172405  
172413 172414 172415 172418 172431 172437 172448 172471  
172473 172476 172494 172496 172524 172530 172535 172539  
172546 172552 172558 172584 172586 172590 172591 172593  
172596 172599 172602 172610

प्रबन्धक, भारत सरकार मन्त्रालय, फरीदाबाद द्वारा मन्त्रित

एवं प्रकाशन नियंत्रक, दिल्ली द्वारा प्रकाशित, 1995

PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRESS, FARIDABAD,  
AND PUBLISHED BY THE CONTROLLER OF PUBLICATIONS, DELHI, 1995